Pain, 48 (1992) 471–474
© 1992 Elsevier Science Publishers B.V. All rights reserved 0304-3959/92/$05.00

Author Index to Volume 48 (1992)

Abad, F., see Feria, M. (48) 429
Abram, S., see Hogan, Q. (48) 469
Abreu, P., see Feria, M. (48) 429
Aldskogius, H., see Xu, X.-J. (48) 279
Anderson, K., see Holroyd, K.A. (48) 301
Arndt, J.O., see Klement, W. (48) 269
Ashton, R., see Strong, J. (48) 227

Bainton, T., Fox, M., Bowsher, D. and Wells, C.
A double-blind trial of naloxone in central post-stroke pain (48) 159
Basbaum, A.I., see Matos, F.F. (48) 439
Benjamin, J., see Zeigler, D. (48) 403
Besana, F., see De Benedittis, G. (48) 383
Besson, J.-M., see Butler, S.H. (48) 77
Besson, J.-M., see Clavier, N. (48) 65
Bianchi, M., see De Conno, F. (48) 401
Bigos, S.J., see Ward, N.G. (48) 331
Birkett, N., see Watson, C.P.N. (48) 29
Björkman, R., see Gong, Q.-L. (48) 249
Bowsher, D., see Bainton, T. (48) 159
Bradley, L.A., see Holroyd, K.A. (48) 301
Britland, S.T., Young, R.J., Sharma, A.K. and Clarke, B.F.
Acute and remitting painful diabetic polyneuropathy: a comparison of peripheral nerve fibre pathology (48) 361
Brown, J.L., see Matos, F.F. (48) 439
Bruehl, S., Carlson, C.R. and McCubbin, J.A.
The relationship between pain sensitivity and blood pressure in normotensives (48) 463
Bruera, E., Miller, M.J., Macmillan, K. and Kuehn, N.
Neuropsychological effects of methylphenidate in patients receiving a continuous infusion of narcotics for cancer pain (48) 163
Bruera, E., Schoeller, T. and Montejo, G.
Organic hallucinosis in patients receiving high doses of opiates for cancer pain (48) 397
Butler, S.H., Godefroy, F., Besson, J.-M. and Weil-Fugazza, J.
A limited arthritic model for chronic pain studies in the rat (48) 77

Campell, I.G., see Carstens, E. (48) 215
Candeletti, S. and Ferri, S.
Intracerebroventricular salmon calcitonin reduces autotomy behavior in rats after dorsal rhizotomy (48) 275
Carlson, C.R., see Bruehl, S. (48) 463
Carstens, E. and Campell, I.G.
Responses of motor units during the hind limb flexion withdrawal reflex evoked by noxious skin heating: phasic and prolonged suppression by midbrain stimulation and comparison with simultaneously recorded dorsal horn units (48) 215
Catalan, N., see Devor, M. (48) 261
Cervero, F., see Snow, P.J. (48) 95
Chant, D., see Strong, J. (48) 227
Cherry, D.A., Plummer, J.L. and Gourlay, G.K.
Epidural opiates and local anaesthetics for the management of cancer pain (48) 469
Chipman, M., see Watson, C.P.N. (48) 29
Clark, F.M., see Yeomans, D.C. (48) 449
Clarke, B.F., see Britland, S.T. (48) 361
Clavier, N., Lombard, M.-C. and Besson, J.-M.
Benzodiazepines and pain: effects of midazolam on the activities of nociceptive non-specific dorsal horn neurons in the rat spinal cord (48) 65
Conacher, I.D.
Therapists and therapies for post-thoracotomy neuralgia (48) 409
Conte, G., see Tavola, T. (48) 325
Cook, D.B., see Wade, J.B. (48) 39
Cummings, C., see Syrjala, K.L. (48) 137

Dallel, R., see Hu, J.W. (48) 57
D'Avella, D., see Hayes, R.L. (48) 391
De Benedittis, G., Besana, F. and Lorenzetti, A.
A new topical treatment for acute herpetic neuralgia and postherpetic neuralgia: the aspirin/diethyl ether mixture. An open-label study plus a double-blind controlled clinical trial (48) 383
De Broucker, T., see Le Bars, D. (48) 13
DeCatanzaro, D., see Hapidou, E.G. (48) 177
De Conno, F., Ripamonti, C., Bianchi, M., Ventafridda, V. and Panerai, A.E.
Diclofenac does not modify morphine bioavailability in cancer patients (48) 401
Devor, M., Wall, P.D. and Catalan, N.
Systemic lidocaine silences ectopic neuroma and DRG discharge without blocking nerve conduction (48) 261
Dieter, J.N.I., see Swerdlow, B. (48) 205
Donaldson, G.W. and Moinpour, C.M.
Strengthened estimates of individual pain trends in children following bone marrow transplantation (48) 147
Donaldson, G.W., see Syrjala, K.L. (48) 137
Dougherty, L.M., see Wade, J.B. (48) 39
Drummond, P.D., see Guest, G.H. (48) 125
Dubner, R.
Hyperalgesia and expanded receptive fields (48) 3

Edén, T., see Ohlsson, L. (48) 349
Elam, M., Johansson, G. and Wallin, B.G.
Do patients with primary fibromyalgia have an altered muscle sympathetic nerve activity? (48) 371
Ernst, M., see Göbel, H. (48) 187
Evans, R.J., see Watson, C.P.N. (48) 29

Feria, M., Abreu, P., Abad, F. and Sánchez, A.
Relationship between autotomy behaviour and spinal cord monoaminergic levels in rats (48) 429
Ferreira, S.H., see Tonussi, C.R. (48) 421
Ferri, S., see Candeletti, S. (48) 275
Fiori, M., see Hayes, R.L. (48) 391
Fox, M., see Bainton, T. (48) 159

Gala, C., see Tavola, T. (48) 325
Germano, A., see Hayes, R.L. (48) 391

Giraud, P., see Guieu, R. (48) 87
Göbel, H., Ernst, M., Jeschke, J., Keil, R. and Weigle, L.
Acetylsalicylic acid activates antinociceptive brain-stem reflex activity in headache patients and in healthy subjects (48) 187
Gobelet, C., Waldburger, M. and Meier, J.L.
The effect of adding calcitonin to physical treatment on reflex sympathetic dystrophy (48) 171
Godefroy, F., see Butler, S.H. (48) 77
Gong, Q.-L., Hedner, J., Björkman, R. and Hedner, T.
Morphine-3-glucuronide may functionally antagonize morphine-6-glucuronide induced antinociception and ventilatory depression in the rat (48) 249
Goodchild, C.S., see Serrao, J.M. (48) 5
Gordon, N.C., Heller, P.H. and Levine, J.D.
Enhancement of pentazocine analgesia by clonidine (48) 167
Gourlay, G.K., see Cherry, D.A. (48) 469
Goyen, J., see Nicholas, M.K. (48) 339
Gracely, R.H.
Evaluation of multi-dimensional pain scales (48) 297
Guest, G.H. and Drummond, P.D.
Effect of compensation on emotional state and disability in chronic back pain (48) 125
Guieu, R., Tardy-Gervet, M.-F. and Giraud, P.
Met-enkephalin and beta-endorphin are not involved in the analgesic action of transcutaneous vibratory stimulation (48) 87

Hao, J.-X., see Xu, X.-J. (48) 279
Hapidou, E.G. and DeCatanzaro, D.
Responsiveness to laboratory pain in women as a function of age and childbirth pain experience (48) 177
Hart, L., see Lavies, N. (48) 313
Hart, R.P., see Wade, J.B. (48) 39
Hayes, R.L., Mao, J., Price, D.D., Germano, A., D'Avella, D., Fiori, M. and Mayer, D.J.
Pretreatment with gangliosides reduces abnormal nociceptive responses associated with a rodent peripheral mononeuropathy (48) 391
Hedner, J., see Gong, Q.-L. (48) 249
Hedner, T., see Gong, Q.-L. (48) 249
Heller, P.H., see Gordon, N.C. (48) 167
Hinkle, A.L., see Holroyd, K.A. (48) 301
Hogan, Q., Abram, S., Weissman, D. and Taylor, M.L.
Reply to the letter of Cherry, Plummer and Gourlay (48) 469
Holm, J.E., see Holroyd, K.A. (48) 301
Holroyd, K.A., Holm, J.E., Keefe, F.J., Turner, J.A., Bradley, L.A., Murphy, W.D., Johnson, P., Anderson, K., Hinkle, A.L. and O'Malley, W.B.
A multi-center evaluation of the McGill Pain Questionnaire: results from more than 1700 chronic pain patients (48) 301
Hu, J.W., Sessle, B.J., Raboisson, P., Dallel, R. and Woda, A.
Stimulation of craniofacial muscle afferents induces prolonged facilitatory effects in trigeminal nociceptive brain-stem neurones (48) 57

Invernizzi, G., see Tavola, T. (48) 325
Ishizuki, M. and Yanagisawa, M.
Antinociceptive effects of tizanidine, diazepam and eperisone in isolated spinal cord–tail preparations of newborn rat (48) 107

Jacobsen, P.B., see Manne, S.L. (48) 47
Jaeger, H. and Maier, C.
Calcitonin in phantom limb pain: a double-blind study (48) 21
Jensen, R., Krogh Rasmussen, B., Pedersen, B., Lous, I. and Olesen, J.
Cephalic muscle tenderness and pressure pain threshold in a general population (48) 197
Jeschke, J., see Göbel, H. (48) 187
Johansson, G., see Elam, M. (48) 371
Johnson, P., see Holroyd, K.A. (48) 301
Jyväsjärvi, E., see Mengel, M.K.C. (48) 413

Keefe, F.J., see Holroyd, K.A. (48) 301
Keil, R., see Göbel, H. (48) 187
Kilian, M., see Kiss, I.E. (48) 157
Kiss, I.E. and Kilian, M.
Does opiate premedication influence postoperative analgesia? A prospective study (48) 157
Klement, W., Medert, H.A. and Arndt, J.O.
Nalbuphine does not act analgetically in electrical painful tooth pulp stimulation in man (48) 269
Kniffki, K.-D., see Mengel, M.K.C. (48) 413
Köhler, T. and Kosanic, S.
Are persons with migraine characterized by a high degree of ambition, orderliness, and rigidity? (48) 321
Kosanic, S., see Köhler, T. (48) 321
Krogh Rasmussen, B., see Jensen, R. (48) 197
Kuehn, N., see Bruera, E. (48) 163

Lacerenza, M., see Marchettini, P. (48) 377
Lange, A.P., see Skibsted, L. (48) 183
Lavies, N., Hart, L., Rounsefell, B. and Runciman, W.
Identification of patient, medical and nursing staff attitudes to postoperative opioid analgesia: stage 1 of a longitudinal study of postoperative analgesia (48) 313
Le Bars, D., Willer, J.C. and De Broucker, T.
Morphine blocks descending pain inhibitory controls in humans (48) 13
Lema, M.J., Shady, J.A., Zoll, J.G. and West, C.R.
Management of intractable back pain from caudal ependymoma with spinal methylprednisolone, bupivacaine and morphine (48) 245
Levine, F.M., see Padawer, W.J. (48) 131
Levine, J.D., see Gordon, N.C. (48) 167
Lombard, M.-C., see Clavier, N. (48) 65
Lorenzetti, A., see De Benedittis, G. (48) 383
Lous, I., see Jensen, R. (48) 197
Lumb, B.M., see Snow, P.J. (48) 95
Lynch, S.A., see Zeigler, D. (48) 403

Macmillan, K., see Bruera, E. (48) 163
Maier, C., see Jaeger, H. (48) 21
Manne, S.L., Jacobsen, P.B. and Redd, W.H.
Assessment of acute pediatric pain: do child self-report, parent ratings, and nurse ratings measure the same phenomenon? (48) 47
Mao, J., see Hayes, R.L. (48) 391
Marangoni, C., see Marchettini, P. (48) 377
Marchettini, P., Lacerenza, M., Marangoni, C., Pellegata, G., Sotgiu, M.L. and Smirne, S.
Lidocaine test in neuralgia (48) 377
Marks, R.L., see Serrao, J.M. (48) 5
Matos, F.F., Rollema, H., Brown, J.L. and Basbaum, A.I.
Do opioids evoke the release of serotonin in the spinal cord? An in vivo microdialysis study of the regulation of extracellular serotonin in the rat (48) 439
Max, M.B., see Zeigler, D. (48) 403
Mayer, D.J., see Hayes, R.L. (48) 391
McCubbin, J.A., see Bruehl, S. (48) 463
Medert, H.A., see Klement, W. (48) 269
Meier, J.L., see Gobelet, C. (48) 171
Mendelson, G.
Compensation and chronic pain (48) 121
Mendl, G., see Schelling, G. (48) 355

Mengel, M.K.C., Jyväsjärvi, E. and Kniffki, K.-D.
Identification and characterization of afferent periodontal C fibres in the cat (48) 413
Miller, M.J., see Bruera, E. (48) 163
Moinpour, C.M., see Donaldson, G.W. (48) 147
Montejo, G., see Bruera, E. (48) 397
Morley, S.J., see Serrao, J.M. (48) 5
Muir, J., see Zeigler, D. (48) 403
Murphy, W.D., see Holroyd, K.A. (48) 301

Nicholas, M.K., Wilson, P.H. and Goyen, J.
Comparison of cognitive-behavioral group treatment and an alternative non-psychological treatment for chronic low back pain (48) 339

Ohlsson, L., Rydberg, T., Edén, T., Persson, Y. and Thulin, L.
Cancer pain relief by continuous administration of epidural morphine in a hospital setting and at home (48) 349
Olesen, J., see Jensen, R. (48) 197
O'Malley, W.B., see Holroyd, K.A. (48) 301

Padawer, W.J. and Levine, F.M.
Exercise-induced analgesia: fact or artifact? (48) 131
Paice, J.A., see Yeomans, D.C. (48) 449
Panerai, A.E., see De Conno, F. (48) 401
Pauletzki, J., see Schelling, G. (48) 355
Pedersen, B., see Jensen, R. (48) 197
Pellegata, G., see Marchettini, P. (48) 377
Persson, Y., see Ohlsson, L. (48) 349
Peter, K., see Schelling, G. (48) 355
Plummer, J.L., see Cherry, D.A. (48) 469
Pöppel, E., see Schelling, G. (48) 355
Price, D.D., see Hayes, R.L. (48) 391
Proudfit, H.K., see Yeomans, D.C. (48) 449

Raboisson, P., see Hu, J.W. (48) 57
Ralston, D.D., see Ralston, III, H.J. (48) 113
Ralston, III, H.J. and Ralston, D.D.
The primate dorsal spinothalamic tract: evidence for a specific termination in the posterior nuclei (Po/SG) of the thalamus (48) 113
Ready, B., see Ward, N.G. (48) 331
Redd, W.H., see Manne, S.L. (48) 47
Reed, K., see Watson, C.P.N. (48) 29
Ripamonti, C., see De Conno, F. (48) 401
Rollema, H., see Matos, F.F. (48) 439
Rounsefell, B., see Lavies, N. (48) 313
Runciman, W., see Lavies, N. (48) 313
Rydberg, T., see Ohlsson, L. (48) 349

Sackmann, M., see Schelling, G. (48) 355
Sánchez, A., see Feria, M. (48) 429
Schelling, G., Mendl, G., Weber, W., Pauletzki, J., Sackmann, M., Pöppel, E. and Peter, K.
Patient controlled analgesia for extracorporeal shock wave lithotripsy of gallstones (48) 355
Schoeller, T., see Bruera, E. (48) 397
Seiger, Å., see Xu, X.-J. (48) 279
Serrao, J.M., Marks, R.L., Morley, S.J. and Goodchild, C.S.
Intrathecal midazolam for the treatment of chronic mechanical low back pain: a controlled comparison with epidural steroid in a pilot study (48) 5
Sessle, B.J., see Hu, J.W. (48) 57
Shady, J.A., see Lema, M.J. (48) 245
Sharma, A.K., see Britland, S.T. (48) 361
Skibsted, L. and Lange, A.P.
The need for pain relief in uncomplicated deliveries in an alternative birth center compared to an obstetric delivery ward (48) 183
Smirne, S., see Marchettini, P. (48) 377
Snow, P.J., Lumb, B.M. and Cervero, F.
The representation of prolonged and intense, noxious somatic and visceral stimuli in the ventrolateral orbital cortex of the cat (48) 95
Sotgiu, M.L., see Marchettini, P. (48) 377
Stajčić, Z.
The effects of streptomycin on autotomy (48) 257
Strong, J., Ashton, R. and Chant, D.
The measurement of attitudes towards and beliefs about pain (48) 227
Swerdlow, B. and Dieter, J.N.I.
An evaluation of the sensitivity and specificity of medical thermography for the documentation of myofascial trigger points (48) 205
Syrjala, K.L., Cummings, C. and Donaldson, G.W.
Hypnosis or cognitive behavioral training for the reduction of pain and nausea during cancer treatment: a controlled clinical trial (48) 137

Tardy-Gervet, M.-F., see Guieu, R. (48) 87
Tavola, T., Gala, C., Conte, G. and Invernizzi, G.
Traditional Chinese acupuncture in tension-type headache: a controlled study (48) 325
Taylor, M.L., see Hogan, Q. (48) 469
Thulin, L., see Ohlsson, L. (48) 349
Tonussi, C.R. and Ferreira, S.H.
Rat knee-joint carrageenin incapacitation test: an objective screen for central and peripheral analgesics (48) 421
Torebjörk, E., see Wahren, L.K. (48) 237
Turner, J.A., see Holroyd, K.A. (48) 301
Turner, J.A., see Ward, N.G. (48) 331

Ventafridda, V., see De Conno, F. (48) 401

Wade, J.B., Dougherty, L.M., Hart, R.P. and Cook, D.B.
Patterns of normal personality structure among chronic pain patients (48) 39
Wahren, L.K. and Torebjörk, E.
Quantitative sensory tests in patients with neuralgia 11 to 25 years after injury (48) 237
Waldburger, M., see Gobelet, C. (48) 171
Wall, P.D., see Devor, M. (48) 261
Wallin, B.G., see Elam, M. (48) 371
Ward, N.G., Turner, J.A., Ready, B. and Bigos, S.J.
Chronic pain, depression, and the dexamethasone suppression test (48) 331
Watson, C.P.N., Chipman, M., Reed, K., Evans, R.J. and Birkett, N.
Amitriptyline versus maprotiline in postherpetic neuralgia: a randomized, double-blind, crossover trial (48) 29
Weber, W., see Schelling, G. (48) 355
Weigle, L., see Göbel, H. (48) 187
Weil-Fugazza, J., see Butler, S.H. (48) 77
Weissman, D., see Hogan, Q. (48) 469
Wells, C., see Bainton, T. (48) 159
West, C.R., see Lema, M.J. (48) 245
Wiesenfeld-Hallin, Z., see Xu, X.-J. (48) 279
Willer, J.C., see Le Bars, D. (48) 13
Wilson, P.H., see Nicholas, M.K. (48) 339
Woda, A., see Hu, J.W. (48) 57

Xu, X.-J., Hao, J.-X., Aldskogius, H., Seiger, Å. and Wiesenfeld-Hallin, Z.

Chronic pain-related syndrome in rats after ischemic spinal cord lesion: a possible animal model for pain in patients with spinal cord injury (48) 279

Yanagisawa, M., see Ishizuki, M. (48) 107

Yeomans, D.C., Clark, F.M., Paice, J.A. and Proudfit, H.K. Antinociception induced by electrical stimulation of spinally projecting noradrenergic neurons in the A7 catecholamine cell group of the rat (48) 449

Young, R.J., see Britland, S.T. (48) 361

Zeigler, D., Lynch, S.A., Muir, J., Benjamin, J. and Max, M.B. Transdermal clonidine versus placebo in painful diabetic neuropathy (48) 403

Zoll, J.G., see Lema, M.J. (48) 245